

8-15 HORSEPOWER • 2-1/2" GEARCASE

Thru Hub Exhaust & 10 Tooth Spline

DF 8A 4-Stroke2011 & Newer	DF 9.9A 4-Stroke2010 & Newer	DF 15 4-Stroke1996 & Newer
DT 9.91983-1987	DT 15 1983-1988	DF 15A 4-Stroke.....2013 & Newer
DF 9.9 4-Stroke..... 1996 & Newer	DT 15C..... 1989-1997	DF 20A 4-Stroke.....2013 & Newer

Boat Description/Length	MICHIGAN MATCH REPLACEMENT PROPELLERS					
	ALUMINUM PROPELLERS					
	Dia.	Rot.	Pitch	Bld#	OEM Part No.	Part No.
14'-19' - AL	9-1/4	R	9	3	58100-93763-019	*062103
14'-19' - AL	9-1/4	R	10	3	58100-93773-019	*062104
14'-16' - LL	9-1/4	R	11	3	58100-93743-019	062105



Rubber
Hub
Bushing

* Standard replacement for DF 15A 4-Stroke is 062103. Standard replacement for DF 20A 4-Stroke is 062104.

20-30 HORSEPOWER • 3" GEARCASE

Thru Hub Exhaust & 10 Tooth Spline

DT 20 ☆.....1985-1986	DT 25C 1989-2000	DT 30 ☆ 1987-1997
DT 201987-1988	DF 25 4-Stroke (Includes V-Twin).....2000 & Newer	DT 30C 1987-1997
DT 25 ☆1985-1986	DF 25R2010 & Newer	DF 30 4-Stroke 2000-2007
DT 251987-1988	DT 30 ☆ 1983-1996	

Boat Description/Length	VORTEX XHS® PERFORMANCE PROPELLERS					
	ALUMINUM PROPELLERS					
	Dia.	Rot.	Pitch	Bld#	OEM Part No.	Part No.
20' & Up - AL	10-1/2	R	9	3	58100-96370-019	992501
18'-20' - AL	10-1/2	R	10	3	58100-96470-019	992502
16'-18' - AL	10-1/2	R	11	3	58100-96420-019	992503
14'-16' - AL	10-1/8	R	12	3	58100-96480-019	992504
14'-16' - AL	10-1/8	R	13	3	58100-96490-019	992505
14'-16' - LL	10-1/8	R	14	3		992506



Drop-In Hub

Use XHS®
Hub Kit

121

MUST use Gearcase Adapter Ring supplied with propeller.

Refer to Pages 42-43 for Details on Hub Kit Components.

Boat Description/Length	MICHIGAN MATCH REPLACEMENT PROPELLERS					
	ALUMINUM PROPELLERS					
	Dia.	Rot.	Pitch	Bld#	OEM Part No.	Part No.
20' & Up - AL	10-1/4	R	10	3	58100-96470-019	062204
17'-20' - AL	10-1/4	R	11	3	58100-96420-019	*062205
15'-18' - AL	10-1/4	R	12	3	58100-96480-019	062206
13'-15' - AL	10-1/4	R	13	3	58100-96490-019	062207
13'-15' - AL						

BALLISTIC® STAINLESS STEEL PROPS						
STAINLESS STEEL PROPELLERS						
	Dia.	Rot.	Pitch	Bld#	OEM Part No.	Part No.

Rubber
Hub
Bushing

* Standard replacement for DF 25 & DF 25R 4-Stroke is 062205.

☆ Use stopper 57632-96400 (For rubber hub propeller only)

SUZUKI

35-65 HORSEPOWER • 3-1/4" GEARCASE

Thru Hub Exhaust & 13 Tooth Spline

DT 35C.....1987-1989	DT 50 & 50M.....1983-1984	DT 60.....1983-1984
DT 40.....1983-1998	DF 50 4-Stroke.....1999-2010	DF 60A 4-Stroke.....2010 & Newer
DF 40 4-Stroke.....1999-2010	DF 50A 4-Stroke.....2011 & Newer	DT 65.....1985-1997
DF 40A 4-Stroke.....2011 & Newer	DT 55.....1985-1997	



ALUMINUM PROPELLERS

STAINLESS STEEL PROPELLERS

3-BLADE				3-BLADE LG. DIAMETER				4-BLADE				STAINLESS STEEL PROPELLERS					
Dia.	Rot.	Pitch	Part No.	Dia.	Rot.	Pitch	Part No.	Dia.	Rot.	Pitch	Part No.	Dia.	Rot.	Pitch	Bld#	OEM Part No.	Part No.
								11-1/2	R	8	992401						
				12-1/4	R	9	992601	11-1/2	R	9	992402						
				11-3/4	R	10	992602	11-1/2	R	10	992403						
10-3/8	R	11	992404	11-5/8	R	11	992603										
10-3/8	R	12	992405	11-3/8	R	12	992604					10-3/4	R	12	3		993405
10-3/8	R	13	992406	11-1/8	R	13	992605					10-1/2	R	13	3		993406
10-3/8	R	14	992407	11-1/4	R	14	992606					10-3/8	R	14	3		993407
10	R	15	992408									10-1/8	R	15	3		993408
10	R	16	992409														

Drop-In Hub

Use XHS®
Hub Kit

115

Refer to Pages 42-43
for Details on Hub Kit
Components.



ALUMINUM PROPELLERS

STAINLESS STEEL PROPELLERS

Boat Description/Length	Dia.	Rot.	Pitch	Bld#	OEM Part No.	Part No.	Dia.	Rot.	Pitch	Bld#	OEM Part No.	Part No.
18'-21' - AL	12-1/4	R	9	3		032046						
18'-21' - AL	11-3/4	R	10	3	58100-88L10-019	032045						
17'-19' - AL	11-5/8	R	11	3	58100-88L21-019	032044						
16'-18' - LL	11-3/8	R	12	3	58100-88L31-019	032043						
14'-16' - LL	11-1/8	R	13	3	58100-88L41-019	032042	10-1/8	R	13	3		395929
12'-14' - LL	11-1/4	R	14	3	58100-88L51-019	032041						
12'-14' - LL	11	R	15	3	58100-88L61-019	032040	10-1/8	R	15	3		395930

Rubber
Hub
Bushing

Key to Abbreviations: LL = Light Loads; SB = Sailboat; AL = All Loads; SK = Skiboat; WB = Workboat; HB = Houseboat; CR = Cruisers; HL = Heavy Loads; WD = Weedless

60-140 HORSEPOWER • 4-1/4" GEARCASE

Thru Hub Exhaust & 13 Tooth Spline

DF 60 4-Stroke.....1998-2009	DT 85..... 1979-2000	DT 115 1981-2001
DF 70 4-Stroke.....1998-2008	DT 90..... 1989-1997	DT 140 1981-2001
DT 751983-1997	DT 100..... 1989-2000	



3-BLADE ALUMINUM PROPELLERS					4-BLADE ALUMINUM PROPELLERS					STAINLESS STEEL PROPELLERS					
Dia.	Rot.	Pitch	Bld#	Part No.	Dia.	Rot.	Pitch	Bld#	Part No.	Dia.	Rot.	Pitch	Bld#	OEM Part No.	Part No.
14	R	11	3	992209	13-7/8	R	11	4	941411						
13-3/4	R	13	3	992212	13-7/8	R	13	4	941413						
13-1/2	R	15	3	992213	13-3/8	R	15	4	941415	13-3/8	R	15	3		993143
										13-3/8	L	15	3		993153
13-1/4	R	17	3	992214	13	R	17	4	941417	13-1/4	R	17	3		993144
										13-1/4	L	17	3		993154
13	R	19	3	992215	12-1/2	R	19	4	941419	13-1/8	R	19	3		993145
										13-1/8	L	19	3		993155
13	R	21	3	992216						13	R	21	3		993146
										13	L	21	3		993156

Drop-In Hub

Use XHS II® Hub Kit

210

Do NOT use Gearcase Adapter Ring supplied with propeller.

Refer to Pages 42-43 for Details on Hub Kit Components.



ALUMINUM PROPELLERS

Boat Description/Length	Dia.	Rot.	Pitch	Bld#	OEM Part No.	Part No.
CR, HB	14	R	11	3		061107
22' & Up	13-3/4	R	13	3	58100-99E00-019	061105
19'-22' - AL, SK	13-1/2	R	15	3	58100-94500-019	061101
18'-21' - AL, SK	13-1/4	R	17	3	58100-94512-019	061102
17'-20' - AL, SK	13	R	19	3	58100-94522-019	061103
15'-18' - AL, SK	13	R	21	3	58100-94532-019	061104



Rubber Hub Bushing

Key to Abbreviations: LL = Light Loads; SB = Sailboat; AL = All Loads; SK = Skiboat; WB = Workboat; HB = Houseboat; CR = Cruisers; HL = Heavy Loads; WD = Weedless

70-140 HORSEPOWER (4-STROKE) • 4-1/4" GEARCASE

Thru Hub Exhaust & 15 Tooth Spline

DF 70A 4-Stroke2009 & Newer	DF 90A 4-Stroke2009 & Newer	DF 115A 4-Stroke2013 & Newer
DF 80A 4-Stroke2009 & Newer	DF 100 4-Stroke2009 & Newer	DF 140 4-Stroke2002-2012
DF 90 4-Stroke2001-2008	DF 115 4-Stroke2001-2012	DF 140A 4-Stroke2013 & Newer



3-BLADE ALUMINUM PROPELLERS					4-BLADE ALUMINUM PROPELLERS					STAINLESS STEEL PROPELERS					
Dia.	Rot.	Pitch	Bld#	Part No.	Dia.	Rot.	Pitch	Bld#	Part No.	Dia.	Rot.	Pitch	Bld#	OEM Part No.	Part No.
14	R	11	3	992209	13-7/8	R	11	4	NEW 941411						
13-3/4	R	13	3	992212	13-7/8	R	13	4	NEW 941413						
13-1/2	R	15	3	992213	13-3/8	R	15	4	NEW 941415	13-3/8	R	15	3		993143
										13-3/8	L	15	3		993153
13-1/4	R	17	3	992214	13	R	17	4	NEW 941417	13-1/4	R	17	3		993144
										13-1/4	L	17	3		993154
13	R	19	3	992215	12-1/2	R	19	4	NEW 941419	13-1/8	R	19	3		993145
										13-1/8	L	19	3		993155
13	R	21	3	992216						13	R	21	3		993146
										13	L	21	3		993156

Drop-In Hub
Use XHS II® Hub Kit
225 / 226
/ 227*

USE Gearcase Adapter Ring supplied with propeller.
Refer to Pages 42-43 for Details on Hub Kit Components.
* XHS II® 227 HUB KIT NOT AVAILABLE IN SOLID HUB.

Note: For DF 90 / DF 100 / DF 115 HP 4-Stroke engine applications use XHS II® (Drop-In Hub) Kit #225.
For DF 115A / DF 140 HP / DF 140A 4-Stroke engine applications use XHS II® (Drop-In Hub) Kit #226.
For DF 70A / 80A / 90A applications use XHS II® (Drop-In Hub) Kit #227.



ALUMINUM PROPELLERS

Boat Description/Length	Dia.	Rot.	Pitch	Bld#	OEM Part No.	Part No.
20'-24' - AL, SK	14	R	15	3	58100-90J41-019	061020
17'-19' - AL, SK	14	R	17	3	58100-90J01-019	061024
16'-18' - AL, SK	14	R	19	3	58100-90J11-019	061028
15'-18' - AL, SK	14	R	21	3	58100-90J21-019	061032



Michigan Match® Aluminum Propeller

Rubber Hub Bushing

150-300 HORSEPOWER • 4-3/4" GEARCASE

Thru Hub Exhaust & 15 Tooth Spline

DT 1501986-2003	DT 2001986-2000	DF 225 4-Stroke ⊕2004 & Newer
DF 150 4-Stroke2006 & Newer	DF 200 4-Stroke ⊕2004 & Newer	DF 250 4-Stroke ⊕2004 & Newer
DT 1751987-1992	DT 2251986-2003	DF 300 4-Stroke ⊕2007 & Newer
DF 175 4-Stroke2006 & Newer		

⊕ Listed propeller diameters are slightly less than original equipment propeller.
*For engines 300 HP or higher, use "High Horsepower Sleeve" (P/N 991372). See Page 43 for more details.



3-BLADE				4-BLADE				STD. 3-BLADE				LG DIAMETER 3-BLADE				4-BLADE			
Dia.	Rot.	Pitch	Part No.	Dia.	Rot.	Pitch	Part No.	Dia.	Rot.	Pitch	Part No.	Dia.	Rot.	Pitch	Part No.	Dia.	Rot.	Pitch	Part No.
16	R	13	992001																
15-1/4	R	15	992002					14-3/8	R	15	993042								
								14-3/8	L	15	993052								
15	R	17	992003	15	R	16	992202	14-1/4	R	17	993043	15-1/2	R	17	993023	14-5/8	R	16	993203
								14-1/4	L	17	993053	15-1/2	L	17	993033	14-5/8	L	16	993213
14-1/2	R	19	992004	14-1/2	R	18	992203	14-1/8	R	19	993044	15-1/4	R	19	993024	14-3/8	R	18	993204
								14-1/8	L	19	993054	15-1/4	L	19	993034	14-3/8	L	18	993214
14-1/4	R	21	992005	14	R	20	992204	14	R	21	993045	14-3/4	R	21	993025	14-1/8	R	20	993205
								14	L	21	993055	14-3/4	L	21	993035	14-1/8	L	20	993215
14	R	23	992006					13-7/8	R	23	993046	14-5/8	R	23	993026	14	R	22	993206
								13-7/8	L	23	993056	14-5/8	L	23	993036	14	L	22	993216

Drop-In Hub
Use XHS II® Hub Kit
204

Refer to Pages 42-43 for Details on Hub Kit Components.

Key to Abbreviations: LL = Light Loads; SB = Sailboat; AL = All Loads; SK = Skiboat; WB = Workboat; HB = Houseboat; CR = Cruisers; HL = Heavy Loads; WD = Weedless